European Journal of Pharmacology, 175 (1990) 369–372
Elsevier

Author index

Abe, Y., see Satoh, N. (175) 317
Abhold, R.H., see Bowker, R.M. (175) 101
Adam, A., see Damas, J. (175) 341
Alper, R.H.
Hemodynamic and renin responses to (±)-DOI, a selective 5-HT_2 receptor agonist, in conscious rats (175) 323
Amenta, F., see Erdö, S.L. (175) 351
Angelucci, L., see Imperato, A. (175) 211
Angulo, J.A., Cadet, J.L. and McEwen, B.S.
σ Receptor blockade by BMY 14802 affects enkephalinergic and tachykinin cells differentially in the striatum of the rat (175) 225
Asayama, J., Tatsumi, T., Miyazaki, H., Omori, I., Shirayama, T., Inoue, D. and Nakagawa, M.
Effect of diltiazem on spontaneous cyclic Ca^{2+} release from sarcoplasmic reticulum (175) 309
Ashby Jr., C.R., Hai Jiang, L. and Wang, R.Y.
Chronic BRL 43694, a selective 5-HT_3 receptor antagonist, fails to alter the number of spontaneously active midbrain dopamine neurons (175) 347
Ayesta, F.J. and Flórez, J.
Tolerance to the respiratory actions of opiates: withdrawal tolerance and asymmetrical cross-tolerance (175) 1

Bake, B., see Holmberg, K. (175) 35
Bals-Kubik, R., Shippenberg, T.S. and Herz, A.
Involvement of central μ and δ opioid receptors in mediating the reinforcing effects of β-endorphin in the rat (175) 63
Bauerle, L.M., see DeNoble, V.J. (175) 197
Beani, L., see Siniscalchi, A. (175) 219
Beck, R.N., see Mukherjee, J. (175) 363
Bertorelli, R., Hallström, Å., Hurd, Y.L., Karlsson, A., Consolo, S. and Ungerstedt, U.
Anaesthesia effects on in vivo acetylcholine transmission; comparisons of radioenzymatic and HPLC assays (175) 79
Best, J.A., see Quock, R.M. (175) 97
Bianchi, C., see Siniscalchi, A. (175) 219
Biggs, D.F. and Ladenius, R.C.
Capsaicin selectively reduces airway responses to histamine, substance P and vagal stimulation (175) 29
Bloom, S.R., see Spokes, R.A. (175) 43
Bonanno, G., see Giralt, M.T. (175) 137
Bose, R., see Stanko, C.K. (175) 13
Bourdon, V., see Damas, J. (175) 341
Bowker, R.M. and Abhold, R.H.
Evoked changes in 5-hydroxytryptamine and norepinephrine release: in vivo dialysis of the rat dorsal horn (175) 101
Brouillet, E., Chavoix, C., Hantraye, P., Kunimoto, M., Khalili-Varasteh, M., Chevalier, P., Frydman, A., Gaillot, J., Prenant, C., Crouzel, M., Mazière, B. and Mazière, M.
Interaction of suriclone with central type benzodiazepine receptors in living baboons (175) 49
Burnstock, G., see Ralevic, V. (175) 291

Cadet, J.L., see Angulo, J.A. (175) 225
Carceles, M.D., see Laorden, M.L. (175) 285
Carstens, M., see Harvey, B. (175) 129
Casolini, P., see Imperato, A. (175) 211
Cervo, L., Grignaschi, G. and Samanin, R.
$α_2$-Adrenoceptor blockade prevents the effect of desipramine in the forced swimming test (175) 301
Chariot, J., Nagain, C., Vaille, C. and Rozé, C.
Effects of buflomedil and its two derivatives, CRL40634 and CRL40598, on pancreatic exocrine secretion in the rat (175) 229
Chavoix, C., see Brouillet, E. (175) 49
Chen, C.-T., see Mukherjee, J. (175) 363
Chen, D.C., see Quock, R.M. (175) 97
Chevalier, P., see Brouillet, E. (175) 49
Consolo, S., see Bertorelli, R. (175) 79
Constantinou, C.E., see Kimoto, Y. (175) 359
Cooper, M., see Mukherjee, J. (175) 363
Crawford, R.D., see Pedder, S.C.J. (175) 85
Crouzel, M., see Brouillet, E. (175) 49

Dafny, N., see Dougherty, P.M. (175) 187
Damas, J., Bourdon, V., Remacle-Volon, G. and Adam, A.
Proteinase inhibitors, kinins and the inflammatory reaction induced by sponge implantation in rats (175) 341
Darrow, E.J., Strahlendorf, H.K. and Strahlendorf, J.C.
Response of cerebellar Purkinje cells to serotonin and the 5-HT_{1A} agonists 8-OH-DPAT and ipsapirone in vitro (175) 145
DeNoble, V.J., Jones, K.W., Schaeffer, C.L. and Bauerle, L.M.
3-((±)-2-Carboxypiperazin-4-yl)propyl-1-phosphonic acid (CPP) and phencyclidine produce a deficit of passive avoidance retention in rats (175) 197
De Vincentis, G., see Erdö, S.L. (175) 351
Di Paola, E.D. and Richelson, E.
Cardiovascular effects of neurotension and some analogues on rats (175) 279
Domin, J., see Spokes, R.A. (175) 43
Dong, W.-Q., see Dougherty, P.M. (175) 187
Dougherty, P.M., Dong, W.-Q., Faillace, L.A. and Dafny, N.
Trans-cranial electrical stimulation attenuates abrupt

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

morphine withdrawal in rats assayed by remote computerized quantification of multiple motor behavior indices (175) 187

Eden, R.J., Wallduck, M.S., Patel, B. and Owen, D.A.A.
Autonomic and haemodynamic responses to SK&F 101468 (ropinirole), a DA_2 agonist, in anaesthetised cats (175) 333
Elliott, P.
Action of antiepileptic and anaesthetic drugs on Na- and Ca-spikes in mammalian non-myelinated axons (175) 155
Ellison, J.A., see Faden, A.I. (175) 165
Erdö, S.L., De Vincentis, G. and Amenta, F.
Autoradiographic localization of [^{3}H]muscimol binding sites in rat stomach: evidence for mucosal $GABA_A$ receptors (175) 351

Faden, A.I., Ellison, J.A. and Noble, L.J.
Effects of competitive and non-competitive NMDA receptor antagonists in spinal cord injury (175) 165
Faillace, L.A., see Dougherty, P.M. (175) 187
Flórez, J., see Ayesta, F.J. (175) 1
Frydman, A., see Brouillet, E. (175) 49
Fujita, T., see Koyama, S. (175) 245

Gaillot, J., see Brouillet, E. (175) 49
Gáti, T., see Till, M. (175) 355
Geisler, A., see Mørk, A. (175) 237
Gewirtz, D.A., see Kuhn, W.F. (175) 117
Giachetti, A., see Rovero, P. (175) 113
Giralt, M.T., Bonanno, G. and Raiteri, M.
GABA terminal autoreceptors in the pars compacta and in the pars reticulata of the rat substantia nigra are $GABA_B$ (175) 137
Granstam, E. and Nilsson, S.F.E.
Non-adrenergic sympathetic vasoconstriction in the eye and some other facial tissues in the rabbit (175) 175
Grignaschi, G., see Cervo, L. (175) 301

Hai Jiang, L., see Ashby Jr., C.R. (175) 347
Hallström, Å., see Bertorelli, R. (175) 79
Hanani, M.
Rapid effects of MPTP in the mouse colon (175) 273
Hantraye, P., see Brouillet, E. (175) 49
Harvey, B., Carstens, M. and Taljaard, J.
Lithium modulation of cortical cyclic nucleotides: evidence for the Yin-Yang hypothesis (175) 129
Hernandez, J., see Laorden, M.L. (175) 285
Herz, A., see Bals-Kubik, R. (175) 63
Heuman, D.M., see Kuhn, W.F. (175) 117
Holmberg, K., Bake, B. and Pipkorn, U.
Vascular effects of topically applied bradykinin on the human nasal mucosa (175) 35
Hurd, Y.L., see Bertorelli, R. (175) 79

Imperato, A., Puglisi-Allegra, S., Zocchi, A., Scrocco, M.G., Casolini, P. and Angelucci, L.
Stress activation of limbic and cortical dopamine release is prevented by ICS 205-930 but not by diazepam (175) 211
Inoue, D., see Asayama, J. (175) 309
Iwasaki, T., see Shibata, R. (175) 261

Johnson, D.D., see Pedder, S.C.J. (175) 85
Jones, K.W., see DeNoble, V.J. (175) 197
Jones, R.O., see Koyama, S. (175) 245

Karlsson, A., see Bertorelli, R. (175) 79
Kelly, M., see Kitchen, I. (175) 93
Khalili-Varasteh, M., see Brouillet, E. (175) 49
Kimoto, Y. and Constantinou, C.E.
Effects of [1-desamino-8-D-arginine]vasopressin and papaverine on rabbit renal pelvis (175) 359
Kitada, Y., see Satoh, N. (175) 317
Kitchen, I., Kelly, M. and Paz Viveros, M.
Ontogenesis of κ-opioid receptors in rat brain using [^{3}H]U-69593 as a binding ligand (175) 93
Komori, S. and Ohashi, H.
Effects of vasoactive intestinal peptide on transmission from excitatory and inhibitory nerves to smooth muscle cells in chicken rectum (175) 21
Koyama, S., Fujita, T., Shibamoto, T., Matsuda, Y., Uematsu, H. and Jones, R.O.
Contribution of baroreceptor reflexes to blood pressure and sympathetic responses to cholecystokinin and vasoactive intestinal peptide in anesthetized dogs (175) 245
Kuhn, W.F., Heuman, D.M., Vlahcevic, Z.R. and Gewirtz, D.A.
Receptor-mediated stimulation of taurocholate efflux from the rat hepatocyte and the ex vivo perfused rat liver (175) 117
Kunimoto, M., see Brouillet, E. (175) 49

Ladenius, R.C., see Biggs, D.F. (175) 29
Lange, K.W.
Behavioural effects and supersensitivity in the rat following intranigral MPTP and MPP^+ administration (175) 57
Laorden, M.L., Hernandez, J., Carceles, M.D., Miralles, F.S. and Puig, M.M.
Interaction between halothane and morphine on isolated heart muscle (175) 285
Lee, Y.C., see Spokes, R.A. (175) 43
Levy, D., see Mukherjee, J. (175) 363
Luh, K.E., see Mukherjee, J. (175) 363

Maggi, C.A., see Rovero, P. (175) 113
Mante, S. and Minneman, K.P.
Caffeine inhibits forskolin-stimulated cyclic AMP accumulation in rat brain (175) 203
Matsuda, Y., see Koyama, S. (175) 245
Mazière, B., see Brouillet, E. (175) 49
Mazière, M., see Brouillet, E. (175) 49
McEwen, B.S., see Angulo, J.A. (175) 225
Minneman, K.P., see Mante, S. (175) 203
Miralles, F.S., see Laorden, M.L. (175) 285
Miyata, S., see Shibata, R. (175) 261
Miyazaki, H., see Asayama, J. (175) 309

Morita, S., see Shibata, R. (175) 261
Mørk, A. and Geisler, A.
5-Hydroxytryptamine receptor agonists influence calcium-stimulated adenylate cyclase activity in the cerebral cortex and hippocampus of the rat (175) 237
Mukherjee, J., Luh, K.E., Yasillo, N., Perry, B.D., Levy, D., Chen, C.-T., Ortega, C., Beck, R.N. and Cooper, M.
Dopamine D-2 receptors imaged by PET in *Cebus apella* using [^{18}F]benzamide neuroleptic (175) 363

Nagai, K., see Shibata, R. (175) 261
Nagain, C., see Chariot, J. (175) 229
Nakagawa, M., see Asayama, J. (175) 309
Narimatsu, A., see Satoh, N. (175) 317
Nickel, P., see Urbanek, E. (175) 207
Niles, L.P., see Pickering, D.S. (175) 71
Nilsson, S.F.E., see Granstam, E. (175) 175
Noble, L.J., see Faden, A.I. (175) 165

Ohashi, H., see Komori, S. (175) 21
Omori, I., see Asayama, J. (175) 309
Ortega, C., see Mukherjee, J. (175) 363
Owen, D.A.A., see Eden, R.J. (175) 333

Patacchini, R., see Rovero, P. (175) 113
Patel, B., see Eden, R.J. (175) 333
Paz Viveros, M., see Kitchen, I. (175) 93
Pedder, S.C.J., Wilcox, R.I., Tuchek, J.M., Johnson, D.D. and Crawford, R.D.
Quisqualate receptors in epileptic fowl: the absence of coupling between quisqualate and N-methyl-D-aspartate receptors (175) 85
Perry, B.D., see Mukherjee, J. (175) 363
Pestellini, V., see Rovero, P. (175) 113
Pickering, D.S. and Niles, L.P.
Pharmacological characterization of melatonin binding sites in Syrian hamster hypothalamus (175) 71
Pipkorn, U., see Holmberg, K. (175) 35
Portoghese, P.S., see Quock, R.M. (175) 97
Prenant, C., see Brouillet, E. (175) 49
Protas, L.L.
Muscarinic receptors mediating the positive inotropic effect of carbachol in embryonic chick ventricle have a low affinity for pirenzepine (175) 215
Puglisi-Allegra, S., see Imperato, A. (175) 211
Puig, M.M., see Laorden, M.L. (175) 285

Quock, R.M., Best, J.A., Chen, D.C., Vaughn, L.K., Portoghese, P.S. and Takemori, A.E.
Mediation of nitrous oxide analgesia in mice by spinal and supraspinal κ-opioid receptors (175) 97

Raiteri, M., see Giralt, M.T. (175) 137
Ralevic, V. and Burnstock, G.
Postjunctional synergism of noradrenaline and adenosine 5′-triphosphate in the mesenteric arterial bed of the rat (175) 291
Regoli, D., see Rovero, P. (175) 113
Remacle-Volon, G., see Damas, J. (175) 341
Richelson, E., see Di Paola, E.D. (175) 279
Rovero, P., Pestellini, V., Maggi, C.A., Patacchini, R., Regoli, D. and Giachetti, A.
A highly selective NK-2 tachykinin receptor antagonist containing D-tryptophan (175) 113
Rozé, C., see Chariot, J. (175) 229

Salari, H. and Wong, A.
Generation of platelet activating factor (PAF) by a human lung epithelial cell line (175) 253
Samanin, R., see Cervo, L. (175) 301
Satoh, N., Abe, Y., Kitada, Y., Narimatsu, A. and Tobe, A.
Effects of MCI-154, a novel cardiotonic agent, on mean circulatory filling pressure in anesthetized dogs (175) 317
Schaeffer, C.L., see DeNoble, V.J. (175) 197
Schlicker, E., see Urbanek, E. (175) 207
Scrocco, M.G., see Imperato, A. (175) 211
Shibamoto, T., see Koyama, S. (175) 245
Shibata, R., Morita, S., Nagai, K., Miyata, S. and Iwasaki, T.
Effects of H-7 (protein kinase inhibitor) and phorbol ester on aortic strips from spontaneously hypertensive rats (175) 261
Shippenberg, T.S., see Bals-Kubik, R. (175) 63
Shirayama, T., see Asayama, J. (175) 309
Siniscalchi, A., Beani, L. and Bianchi, C.
Different effects of 8-OH-DPAT, a 5-HT$_{1A}$ receptor agonist, on cortical acetylcholine release, electrocortigram and body temperature in guinea pigs and rats (175) 219
Smyth, D.D., see Stanko, C.K. (175) 13
Spokes, R.A., Lee, Y.C., Yiangou, Y., Domin, J. and Bloom, S.R.
Comparison of neuromedin-N and neurotensin on net fluid flux across rat small intestine (175) 43
Stanko, C.K., Vandel, M.I., Bose, R. and Smyth, D.D.
Characterization of α_2-adrenoceptors in the rat: proximal tubule, renal membrane and whole kidney studies (175) 13
Strahlendorf, H.K., see Darrow, E.J. (175) 145
Strahlendorf, J.C., see Darrow, E.J. (175) 145
Svensson, L.
The role of the dopaminergic system in the modulation of the acoustic startle response in the rat (175) 107
Székely, J.I., see Till, M. (175) 355
Szombath, D., see Till, M. (175) 355

Takemori, A.E., see Quock, R.M. (175) 97
Taljaard, J., see Harvey, B. (175) 129
Tatsumi, T., see Asayama, J. (175) 309
Till, M., Szombath, D., Gáti, T. and Székely, J.I.
Naloxone-insensitive modulation of gastric acid output by [D-Met^2,Pro^5]enkephalinamide in rats (175) 355
Tobe, A., see Satoh, N. (175) 317
Tuchek, J.M., see Pedder, S.C.J. (175) 85

Uematsu, H., see Koyama, S. (175) 245
Ungerstedt, U., see Bertorelli, R. (175) 79

Urbanek, E., Nickel, P. and Schlicker, E.
Antagonistic properties of four suramin-related compounds at vascular purine P_{2X} receptors in the pithed rat (175) 207

Vaille, C., see Chariot, J. (175) 229
Vandel, M.I., see Stanko, C.K. (175) 13
Vaughn, L.K., see Quock, R.M. (175) 97
Vlahcevic, Z.R., see Kuhn, W.F. (175) 117

Wallduck, M.S., see Eden, R.J. (175) 333
Wang, R.Y., see Ashby Jr., C.R. (175) 347
Wilcox, R.I., see Pedder, S.C.J. (175) 85
Wong, A., see Salari, H. (175) 253

Yadid, G., Youdim, M.B.H. and Zinder, O.
High-affinity strychnine binding to adrenal medulla chromaffin cell membranes (175) 365
Yasillo, N., see Mukherjee, J. (175) 363
Yiangou, Y., see Spokes, R.A. (175) 43
Youdim, M.B.H., see Yadid, G. (175) 365

Zinder, O., see Yadid, G. (175) 365
Zocchi, A., see Imperato, A. (175) 211